EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S1 | 99 | (("20050232302") or ("20050251564") or ("20050235292") or ("20040216139") or ("20060004559") or ("7356046") or ("20050175031") or ("5963726") or ("6085156") or ("6223134") or ("6223134") or ("5627998") or ("5640572") or ("5717614") or ("5771388") or ("5905649") or ("6405145") or ("6418392") or ("6975957") or ("7134081") or ("20020184326") or ("20030035008") or ("20050234675") or ("20060004535") or ("5710727") or ("5724272") or ("5847955") or ("5920479") or ("5740185") or ("5790977") or ("5784275") or ("5847953") or ("5619489") or ("5734119") or ("20060206626") or ("20040190458") or ("20070248021") or ("5870350") or ("5964892") or ("20030174070") or ("20040088448") or ("6101311") or ("6175771") or ("6824539") or ("20040024384") or ("5721676") or ("5345562") or ("5772963") or ("5809518") or ("6633937") or ("20020083242") or ("20060177795") or ("5283889") or ("RE35480") or ("5696987") or ("6882946") or ("20030191595") or ("5025141") or ("5045675") or ("5517015") or ("5625795") or ("6016255") or ("6036101") or ("6330977") or ("6370455") or ("5872827") or ("6035247") or ("5958028") or ("5974541") or ("6138148") or ("6195768") or ("6232541") or ("20060268926") or ("4088990") or ("5379214") or ("4926413") or ("5596631") or | US-PGPUB; USPAT | OR | OFF | 2008/05/29 11:11 |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | ("5788688") or ("5793813") or ("7253385") or ("7319936") or ("20050248764") or ("20060123296") or ("20070253056") or ("20080077350") or ("6421745") or ("5636344") or ("5850388") or ("5850386") or ("6111888") or ("4799059") or ("4914688") or ("4945806") or ("4998274") or ("5270475") or ("5287528") or ("5392224") or ("5426643") or ("5528675") or ("5572684")).PN. | | | | |
| S2 | 0 | (@ay<="2004" OR @rlad<="20040415") AND SCPI AND ".NET" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 11:31 |
| S3 | 161 | (@ay<="2004" OR @rlad<="20040415") AND SCPI | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 11:31 |
| S4 | 117 | (@ay<="2004" OR @rlad<="20040415") AND SCPI AND (translat$3 OR convert$3 OR transform$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 11:33 |
| S5 | 2 | (@ay<="2004" OR @rlad<="20040415") AND SCPI AND (translat$3 OR convert$3 OR transform$3) AND (ascertain$3 OR evaluat $3) WITH valid$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 11:49 |
| S6 | 4570 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) AND (ascertain $3 OR evaluat$3) WITH valid $3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 11:50 |
| S7 | 269 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol AND (ascertain$3 OR evaluat $3) WITH valid$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 11:51 |
| S8 | 5 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol SAME (ascertain$3 OR evaluat $3) WITH valid$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 11:52 |

| S9 | 12 | (@ay< = "2004" OR @rlad< = "20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol AND (ascertain $3 OR evaluat$3) WITH valid $3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 12:06 |
|---|---|---|---|---|---|---|
| S10 | 272 | (@ay< = "2004" OR @rlad< = "20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 12:24 |
| S11 | 2 | (@ay< = "2004" OR @rlad< = "20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction) AND (ascertain$3 OR evaluat$3) WITH valid$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 12:24 |
| S12 | 4 | (@ay< = "2004" OR @rlad< = "20040415") AND SCPI AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 12:39 |
| S13 | 81 | (@ay< = "2004" OR @rlad< = "20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction) AND API | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 12:41 |
| S14 | 98 | (@ay< = "2004" OR @rlad< = "20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol ADJ (command OR instruction OR query) AND API | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 12:45 |
| S15 | 0 | (@ay< = "2004" OR @rlad< = "20040415") AND SCPI AND ".NET" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 15:19 |
| S16 | 17 | (@ay< = "2004" OR @rlad< = "20040415") AND SCPI AND "NET" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 15:19 |
| S17 | 17 | (@ay< = "2004" OR @rlad< = "20040415") AND SCPI AND "NET" AND (translat $3 OR convert$3 OR transform $3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 15:23 |

| S18 | 1 | ("7134081").PN. | US-PGPUB; USPAT | OR | OFF | 2008/05/29 15:27 |
| S19 | 17 | (@ay<= "2004" OR @rlad<= "20040415") AND SCPI AND NET AND (translat $3 OR convert$3 OR transform $3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 15:54 |
| S20 | 0 | ("2005/0232302").URPN. | USPAT | OR | ON | 2008/05/29 15:57 |
| S21 | 150 | (@ay<= "2004" OR @rlad<= "20040415") AND ((Standard ADJ Instrument$6) OR SCPI) AND NET AND (translat$3 OR convert$3 OR transform$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 15:58 |
| S22 | 2 | (@ay<= "2004" OR @rlad<= "20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) ADJ protocol WITH validat$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 16:16 |
| S23 | 11 | (@ay<= "2004" OR @rlad<= "20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol WITH validat$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 16:16 |
| S24 | 43 | (@ay<= "2004" OR @rlad<= "20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction OR query) WITH protocol SAME validat$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 16:20 |
| S25 | 34 | (@ay<= "2004" OR @rlad<= "20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction OR query) WITH protocol AND validat$3 WITH parameter | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/05/29 16:31 |
| S26 | 2 | ((("20020010714") or ("20040009813")).PN. | US-PGPUB; USPAT | OR | OFF | 2008/06/02 10:51 |
| S27 | 4 | ((("20020010714") or ("20040009813") or ("6766279") or ("5790977")). PN. | US-PGPUB; USPAT | OR | OFF | 2008/06/02 10:53 |
| S28 | 8 | (@ay<= "2004" OR @rlad<= "20040415") AND SCPI AND "NET" AND (API OR (Application ADJ Programming ADJ Interface)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/02 12:30 |

| S29 | 134 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) SAME validity WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/02 13:52 |
|---|---|---|---|---|---|---|
| S30 | 562 | (@ay<="2004" OR @rlad<="20040415") AND (command OR query) WITH validat$3 WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/02 14:59 |
| S31 | 24 | (@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND (command OR query) WITH validat$3 WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/02 14:59 |
| S32 | 4 | (("7134081") or ("20050091269") or ("5958010") or ("20020124108")).PN. | US-PGPUB; USPAT | OR | OFF | 2008/06/02 17:26 |
| S33 | 3 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) AND (stream ADJ format) AND (command OR query) WITH validat$3 WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 10:32 |
| S34 | 1564 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) AND (stream ADJ format) AND (command OR query) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 10:33 |
| S35 | 48 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) SAME (stream ADJ format) SAME (command OR query) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 10:33 |
| S36 | 5 | (@ay<="2004" OR @rlad<="20040415") AND before WITH (translat$3 OR convert$3 OR transform$3) SAME (stream ADJ format) SAME (command OR query) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 10:39 |
| S37 | 265 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol AND NET | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 11:58 |

| S38 | 16 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH protocol SAME NET | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 11:58 |
|-----|-----|------|------|------|------|------|
| S39 | 8 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME NET ADJ protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 12:01 |
| S40 | 284 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME NET | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 12:04 |
| S41 | 15 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH validat$3 SAME API | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 12:11 |
| S42 | 310 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH validat$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 12:28 |
| S43 | 11 | (@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND (translat$3 OR convert$3 OR transform $3) WITH (command OR instruction) WITH validat$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 12:28 |
| S44 | 3 | (@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND (translat$3 OR convert$3 OR transform $3) WITH (command OR instruction) SAME (((determin $ OR ascertain$) ADJ validity) OR validat$3) WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 12:42 |
| S45 | 310 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) WITH validat$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 12:43 |

| S46 | 83 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$) ADJ validity) OR validat$3) WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 12:47 |
|-----|-----|-----|-----|-----|-----|-----|
| S47 | 85 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ valid$3) OR validat$3) WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 13:03 |
| S48 | 186 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) AND (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH command WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 13:10 |
| S49 | 284 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) AND (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH (command OR instruction) WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 13:10 |
| S50 | 46 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH command WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 13:41 |

| S51 | 52 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH (command OR instruction) SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH (command OR instruction) WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 13:41 |
|-----|----|-----|-----|-----|-----|-----|
| S52 | 5 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH protocol SAME (((determin$ OR ascertain$ OR evaluat$3) ADJ validity) OR validat$3) WITH (command OR instruction) WITH (parameter OR setting OR configuration) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 16:11 |
| S53 | 4 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH SCPI ADJ protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 16:19 |
| S54 | 28 | (@ay<="2004" OR @rlad<="20040415") AND (translat$3 OR convert$3 OR transform$3) WITH SCPI | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 16:19 |
| S55 | 46 | (@ay<="2004" OR @rlad<="20040415") AND (translated OR converted OR transformed) ADJ5 (command OR instruction) WITH validat$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 16:40 |
| S56 | 0 | (@ay<="2004" OR @rlad<="20040415") AND "IEEE 488" SAME asynchronous$2 WITH receiv$3 SAME status SAME notify$3 WITH query | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 17:01 |
| S57 | 0 | (@ay<="2004" OR @rlad<="20040415") AND "IEEE 488" SAME asynchronous$2 WITH receiv$3 SAME status SAME query | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 17:02 |
| S58 | 0 | (@ay<="2004" OR @rlad<="20040415") AND "IEEE 488" SAME asynchronous$2 WITH receiv$3 SAME status | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 17:02 |

| S59 | 0 | (@ay< = "2004" OR @rlad< = "20040415") AND "IEEE 488.1" SAME asynchronous$2 WITH receiv $3 SAME status SAME notify$3 WITH query | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 17:02 |
|---|---|---|---|---|---|---|
| S60 | 0 | (@ay< = "2004" OR @rlad< = "20040415") AND "IEEE 488.1" SAME asynchronous$2 WITH receiv $3 SAME status SAME query | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 17:03 |
| S61 | 0 | (@ay< = "2004" OR @rlad< = "20040415") AND "IEEE 488.1" SAME asynchronous$2 WITH receiv $3 SAME status | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/03 17:03 |
| S62 | 0 | (@ay< = "2004" OR @rlad< = "20040415") AND "IEEE 488.1" SAME status WITH (queue OR FIFO OR buffer) WITH register | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 16:58 |
| S63 | 1 | (@ay< = "2004" OR @rlad< = "20040415") AND "IEEE 488.1" AND status WITH (queue OR FIFO OR buffer) WITH register | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 16:58 |
| S64 | 5294 | (@ay< = "2004" OR @rlad< = "20040415") AND status WITH (queue OR FIFO OR buffer) WITH register | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 16:59 |
| S65 | 1123 | (@ay< = "2004" OR @rlad< = "20040415") AND "710".clas. AND status WITH (queue OR FIFO OR buffer) WITH register | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 16:59 |
| S66 | 0 | (@ay< = "2004" OR @rlad< = "20040415") AND "710".clas. AND (IEEE ADJ "488") SAME status WITH (queue OR FIFO OR buffer) WITH register | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 16:59 |
| S67 | 0 | (@ay< = "2004" OR @rlad< = "20040415") AND (IEEE ADJ "488") SAME status WITH (queue OR FIFO OR buffer) WITH register | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 16:59 |
| S68 | 496 | (@ay< = "2004" OR @rlad< = "20040415") AND "710".clas. AND status ADJ5 (queue OR FIFO OR buffer) WITH register | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 17:03 |

| S69 | 664 | (@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ register WITH (queue OR FIFO OR buffer) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 17:03 |
| S70 | 356 | (@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ register WITH (queue OR FIFO) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 17:03 |
| S71 | 0 | (@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ (module AND register) WITH (queue OR FIFO) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 17:04 |
| S72 | 0 | (@ay<="2004" OR @rlad<="20040415") AND "710".clas. AND status ADJ module WITH register WITH (queue OR FIFO) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 17:04 |
| S73 | 1 | (@ay<="2004" OR @rlad<="20040415") AND status ADJ module WITH register WITH (queue OR FIFO) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/06/09 17:05 |
| S74 | 1 | ("6766386").PN. | US-PGPUB; USPAT | OR | OFF | 2008/06/09 17:07 |

6/17/2008 9:49:20 AM
C:\Documents and Settings\hyu\My Documents\EAST\Workspaces
\10825466_SCPI_NET_Translation.wsp